

IP-Key02-V2

Keyboard controller for PTZ and Ossia VMS 2.1.4 only



MAIN FEATURES

- Keyboard controller for PTZ and Ossia VMS 2.1.4 only



<https://provision-isr.com>

SPECIFICATIONS

Device Parameters	
OS	Linux
Display	TFT LCD 320*240
Control Elements	4D Joystick, Knob, Buttons
Supported Devices	
DVR/NVR Support	N/A
DVR/NVR Controls	N/A
IP PTZ Support	Onvif
Analog PTZ Support	RS-485 Protocols: Pelco D/P
Supported PTZ Controls	Movement, Zoom, Iris, Focus, Save/Run Preset, Call Cruise
Ossia VMS Support	Yes
Ossia VMS Controls	PTZ, TV-Wall, Layout, Playback
Control Mode	Ossia VMS (2.1.4 Only), IP PTZ , Analog PTZ
Max Device Support	256
Network	
Network	1 RJ45 10/100M
Web Interface	IE Browser
Serial Port	
Interfaces	RS485, RS422, RS232(Deebugging)
Baudrate	1200bps, 2400bps, 4800bps,9600bps,19200bps, 38400bps, 115200
Other	
Power	DC12V/~2A/PoE/≤5W
Work Environment	-10°C~55°C, 20%~80% Humidity
Dimensions	321mm×179.2mm×108.5mm

Net Weight	1.63kg
------------	--------